Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

White Truffle

Sample ID: HR20240790513-V2**

Strain: White Truffle Matrix: Plant

Type: Flower - Cured Sample Size: ; Batch: Produced:

Collected: 07/17/2024 Received: 07/17/2024

Completed: 07/19/2024 Batch#: AM24WTFHTMB062724-

Client

Lic.#

STRAINX

5930 Star Ln, STE C

Houston, TX 77057

WT062724

Summary**

Date Tested Batch

Cannabinoids Moisture

Result Complete 07/18/2024 Complete 07/18/2024 12.91%



Cannabinoids Complete

22.60% 22.60% ND **Total THC Total CBD Total Cannabinoids**

Analyte	LOD	LOQ	Mass	Mass	
	mg/g	mg/g	%	mg/g	
THCa	0.20000	0.61000	25.45	254.50	
Δ9-ΤΗС	0.15000	0.45000	0.28	2.83	
Δ8-THC	0.14000	0.42000	ND	ND ND	
THCV	0.15000	0.44000	ND	ND	
CBDa	0.10000	0.31000	ND	ND	
CBD	0.15000	0.45000	ND	ND	
CBN	0.16000	0.50000	ND	ND	
CBG	0.13000	0.39000	ND	ND	
CBC	0.14000	0.42000	ND	ND	
Total THC			22.60	226.03	
Total CBD			ND	ND	
Total			22.60	226.03	

Determination of Cannabinoids by HPLC, HL223

Total THC = $\Delta 9$ -THC3 * $0.877 + \Delta 9$ -THC

Total CBD = CBDa * $0.877 + \Delta 9$ -THC

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



Ming Li - General Manager

07/19/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity; Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.



3507 Breakwater Ave, Hayward, CA 94545
Tel: (510) 887-8885
Email: info@barrenslab.com

Email: info@harrenslab.com Web: www.harrenslab.com

Client Information STRAINX

5930 Star Ln, STE C Houston, TX 77057

Sample Information

Analysis: Heavy Metals

Analysis Method: Atomic Fluorescence Spectrometry

Entry Date: 07/18/2024

Report Number: AR2024070172-V1

Prepared Date: 07/18/2024 Analysis Date: 07/19/2024

Report Date: 07/19/2024

CERTIFICATE OF ANALYSIS

Sample ID	Sample Name	Description	Analysis	Result
		El	Arsenic	Not Detected
HR20240790513 White Truffle	Miletra Ta Mila		Mercury	Not Detected
	wnite Truffie	Flower	Lead Not Detecte	Not Detected
		Cadmium	Not Detected	

*The results shown in this report relate solely to the item submitted for analysis.

Respectfully, Submitted:

Ming Li

General Manager

Harrens Lab Inc.

Harrens®

3507 Breakwater Ave, Hayward, CA 94545
Tel: (510) 887-8885
Email: info@harrenslab.com
Web: www.harrenslab.com

Report Number: IN2024070172-V1

Entry Date: 07/18/2024

Client Information STRAINX

5930 Star Ln, STE C Houston, TX 77057

Sample Information

Analysis: Aerobic Plate Count (APC), E. coli / Total

Coliform, Yeast & Mold, Shiga-toxin Prepared Date: 07/18/2024 (STEC), Salmonella spp., Listeria spp., Staphylococcus, Yersinia, Camylobacter Report Date: 07/19/2024

Analysis Methods: FDA BAM Jan 2001, Ch. 3, 4, and 18,

AOAC no. 100401, AOAC Official Method 2013.01-Modified, AOAC no. 081001, AOAC Official Method 993.12,

and HL316

CERTIFICATE OF ANALYSIS

Sample ID	Sample Name	Description	Analysis	Result
HR20240790513	White Truffle	Flower	APC	1530 CFU/g
			E. coli	Not Detected
			Total Coliform	Not Detected
			Yeast & Mold	180 CFU/g
			Salmonella spp.	Not Detected
			STEC	Not Detected
			Listeria spp.	Not Detected
			Campylobacter	Not Detected
			Yersinia	Not Detected
			Staphylococcus	Not Detected

^{*}The results shown in this report relate solely to the item submitted for analysis.

Respectfully Submitted:

Ming Li

General Manager

Harrens Lab Inc.



3507 Breakwater Ave, Hayward, CA 94545
Tel: (510) 887-8885
Email: info@barrenslab.com

Email: info@harrenslab.com Web: www.harrenslab.com

Client Information STRAINX Report Number: AR2024070172-V1

5930 Star Ln, STE C Houston, TX 77057

Sample Information

Sample Name: White Truffle Entry Date: 07/18/2024
Batch Number: AM24WTFHTMB062724 Prepared Date: 07/18/2024
Description: Flower Analysis Date: 07/19/2024
Harrens Sample ID: HR20240790513 Report Date: 07/19/2024

CERTIFICATE OF ANALYSIS

Analysis	Method	Result
Pesticide Analysis	LC/MS/MS & GC/MS/MS	See Attachment

^{*}The results shown in this report relate solely to the item submitted for analysis.



Respectfully, Submitted:

Ming Li

General Manager

Harrens Lab Inc.



3507 Breakwater Ave, Hayward, CA 94545

Tel: (510) 887-8885

Email: info@harrenslab.com Web: www.harrenslab.com

Pesticide Results Detected Level (μg/g) Acetamiprid Not Detected Aldicarb Not Detected Azoxystrobin Not Detected Bifenazate 2.39 Boscalid 0.04 Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Not Detected Chlorpyrifos Not Detected Cypermethrin Not Detected Diazinon Not Detected Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Fipronil Not Detected Metalaxyl Not Detected Methocarb Not Detected Methomyl Not Detected Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Not Detected Permethrin Not Detected Permethrin Not Detected Spiroxamine Not Dete		T
Acetamiprid Not Detected Aldicarb Not Detected Azoxystrobin Not Detected Bifenazate 2.39 Boscalid 0.04 Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Not Detected Chlorpyrifos Not Detected Cypermethrin Not Detected Diazinon Not Detected Ethoprophos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Filonicamid Not Detected Methalaxyl Not Detected Methomyl Not Detected Methomyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected	Pesticide	Results
Aldicarb Azoxystrobin Not Detected Bifenazate 2.39 Boscalid O.04 Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Not Detected Cypermethrin Not Detected Diazinon Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Imidacloprid Not Detected Methiocarb Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Permethrin Not Detected Potected Not Detected	Detected Level	
Azoxystrobin Bifenazate 2.39 Boscalid 0.04 Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Not Detected Cypermethrin Not Detected Diazinon Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Imidacloprid Not Detected Methiocarb Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Permethrin Not Detected Permethrin Not Detected	Acetamiprid	Not Detected
Bifenazate 2.39 Boscalid 0.04 Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Not Detected Chlorpyrifos Not Detected Cypermethrin Not Detected Diazinon Not Detected Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Not Detected Permethrin Not Detected Permethrin Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Not Detected Not Detected	Aldicarb	Not Detected
Boscalid Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Chlorpyrifos Not Detected Chlorpyrifos Not Detected Cypermethrin Not Detected Diazinon Not Detected Ethoprophos Etofenprox Not Detected Fipronil Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methomyl Not Detected Not Detected Not Detected Methomyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Not Detected	Azoxystrobin	Not Detected
Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Not Detected Chlorpyrifos Not Detected Cypermethrin Not Detected Diazinon Not Detected Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Not Detected Permethrin Not Detected Spiroxamine Not Detected Tebuconazole Thiacloprid Not Detected	Bifenazate	2.39
Carbofuran Chlorantraniliprole Chlorpyrifos Not Detected Cypermethrin Not Detected Diazinon Not Detected Dichlorvos Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Imidacloprid Not Detected Methiocarb Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Permethrin Not Detected Spiroxamine Not Detected	Boscalid	0.04
Chlorantraniliprole Chlorpyrifos Not Detected Cypermethrin Not Detected Diazinon Not Detected Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Permethrin Not Detected Spiroxamine Not Detected	Carbaryl	Not Detected
Chlorpyrifos Cypermethrin Not Detected Diazinon Not Detected Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Not Detected Permethrin Not Detected Spiroxamine Not Detected Tebuconazole Not Detected	Carbofuran	Not Detected
Cypermethrin Not Detected Diazinon Not Detected Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Chlorantraniliprole	Not Detected
Diazinon Not Detected Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Not Detected Not Detected	Chlorpyrifos	Not Detected
Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Not Detected Not Detected	Cypermethrin	Not Detected
Ethoprophos Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Permethrin Not Detected Spiroxamine Not Detected	Diazinon	Not Detected
Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Dichlorvos	Not Detected
Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Ethoprophos	Not Detected
Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Etofenprox	Not Detected
Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Fipronil	Not Detected
Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Flonicamid	Not Detected
Methiocarb Methomyl Not Detected Myclobutanil Oxamyl Not Detected Parathion Methyl Permethrin Not Detected Pyridaben Spiroxamine Tebuconazole Thiacloprid Not Detected Not Detected Not Detected Not Detected Not Detected	Imidacloprid	Not Detected
Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Metalaxyl	Not Detected
Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Methiocarb	Not Detected
Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Methomyl	Not Detected
Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Myclobutanil	Not Detected
Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Oxamyl	Not Detected
Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Parathion Methyl	Not Detected
Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Permethrin	Not Detected
Tebuconazole Not Detected Thiacloprid Not Detected	Pyridaben	Not Detected
Tebuconazole Not Detected Thiacloprid Not Detected	Spiroxamine	Not Detected
·		Not Detected
Thiamethoxam Not Detected	Thiacloprid	Not Detected
	Thiamethoxam	Not Detected

