

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

Tahoe OG

Sample ID: HR20240990471

Strain: Tahoe OG Matrix: Plant Type: Flower - Cured

Sample Size: ; Batch:

Produced: Collected: 09/13/2024 Received: 09/13/2024

Completed: 09/19/2024 Batch#: RB24ATOFHTMB083024-

Client **STRAINX** Lic.#

5930 Star Ln, STE C

Houston, TX 77057

TO083024



Summary

Test Date Tested Result Pass Batch 09/16/2024 Cannabinoids Complete Moisture 09/16/2024 13.14%

Cannabinoids Complete

31.79% 31.99% ND **Total THC Total CBD Total Cannabinoids**

Analyte	LOD	LOQ	Mass	Mass	
	mg/g	mg/g	%	mg/g	
THCa	0.20000	0.61000	35.94	359.36	
Δ9-THC	0.15000	0.45000	0.27	2.74	
Δ8-ΤΗС	0.14000	0.42000	ND	ND ND	
THCV	0.15000	0.44000	ND	ND	
CBDa	0.10000	0.31000	ND	ND	
CBD	0.15000	0.45000	ND	ND	
CBN	0.16000	0.50000	ND	ND	
CBG	0.13000	0.39000	0.20	2.02	
CBC	0.14000	0.42000	ND	ND	
Total THC			31.79	317.90	
Total CBD			ND	ND	
Total			31.99	319.92	

Determination of Cannabinoids by HPLC, HL223

Total THC = $\Delta 9$ -THC3 * $0.877 + \Delta 9$ -THC

Total CBD = CBDa * $0.877 + \Delta 9$ -THC

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.





Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity; Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.



3507 Breakwater Ave, Hayward, CA 94545 Tel: (510) 887-8885 Email: info@harrenslab.com

Email: info@harrenslab.com Web: www.harrenslab.com

Client Information STRAINX

5930 Star Ln, STE C Houston, TX 77057

Sample Information

Analysis: Heavy Metals

Analysis Method: Atomic Fluorescence Spectrometry

Entry Date: 09/13/2024

Report Number: IN2024090138-V1

Prepared Date: 09/13/2024 Analysis Date: 09/17/2024

Report Date: 09/19/2024

CERTIFICATE OF ANALYSIS

Sample ID	Sample Name	Description	Analysis	Result
		Flower	Arsenic	Not Detected
HR20240990471	40990471 Tahoe OG		Mercury	Not Detected
			Lead	Not Detected
			Cadmium	Not Detected

*The results shown in this report relate solely to the item submitted for analysis.

Respectfully, Submitted:

Ming Li

General Manager

Harrens Lab Inc.

Harrens®

3507 Breakwater Ave, Hayward, CA 94545
Tel: (510) 887-8885
Email: info@harrenslab.com
Web: www.harrenslab.com

Client Information STRAINX

5930 Star Ln, STE C Houston, TX 77057

Sample Information

Analysis: Aerobic Plate Count (APC), E. coli,

Yeast & Mold, Shiga-toxin (STEC), Salmonella spp., Listeria Monocytogenes, Staphylococcus,

Yersinia, and Campylobacter

Analysis Methods: FDA BAM Jan 2001, Ch. 3-4, 7-8, and 18,

AOAC no. 100401, AOAC Official Method 2013.01-Modified, AOAC no. 081001, AOAC Official Method 993.12,

and HL316

Report Number: IN2024090138-V1

Entry Date: 09/13/2024 Prepared Date: 09/13/2024 Analysis Date: 09/19/2024 Report Date: 09/19/2024

CERTIFICATE OF ANALYSIS

Sample ID	Sample Name	Description	Analysis	Result
			APC	60 CFU/g
			Yeast & Mold	1,000 CFU/g
			E.coli	Not Detected
			Listeria Mono.	Not Detected
HR2024099047	1 Tahoe OG	Flower	Salmonella spp.	Not Detected
			STEC	Not Detected
			Staphylococcus	Not Detected
			Yersinia	Not Detected
			Campylobacter	Not Detected

^{*}The results shown in this report relate solely to the item submitted for analysis.

Respectfully Submitted:

Ming Li

General Manager

Harrens Lab Inc.



3507 Breakwater Ave, Hayward, CA 94545 Tel: (510) 887-8885

Email: info@harrenslab.com Web: www.harrenslab.com

Client Information STRAINX Report Number: IN2024090138-V1

5930 Star Ln, STE C Houston, TX 77057

Sample Information

Sample Name: Tahoe OG Entry Date: 09/13/2024
Batch Number: RB24ATOFHTMB083024-TO083024
Description: Flower Analysis Date: 09/17/2024
Harrens Sample ID: HR20240990471 Report Date: 09/19/2024

CERTIFICATE OF ANALYSIS

Analysis	Method	Result
Pesticide Analysis	LC/MS/MS & GC/MS/MS	See Attachment

^{*}The results shown in this report relate solely to the item submitted for analysis.



Respectfully, Submitted:

Ming Li

General Manager

Harrens Lab Inc.



3507 Breakwater Ave, Hayward, CA 94545

Tel: (510) 887-8885

Email: info@harrenslab.com Web: www.harrenslab.com

Pesticide Results Detected Level (μg/g) Acetamiprid Not Detected Aldicarb Not Detected Azoxystrobin Not Detected Bifenazate Not Detected Boscalid 0.06 Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Not Detected Chlorpyrifos Not Detected Cypermethrin Not Detected Cypermethrin Not Detected Diazinon Not Detected Ethoprophos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Metalaxyl Not Detected Methomyl Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Permethrin Not Detected Permethrin Not Detected Spiroxamine Not		
Acetamiprid Not Detected Aldicarb Not Detected Azoxystrobin Not Detected Bifenazate Not Detected Boscalid 0.06 Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Not Detected Cypermethrin Not Detected Diazinon Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Methalaxyl Not Detected Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Not Detected Pyridaben Not Detected Spiroxamine Not Detected	Pesticide	Results
Aldicarb Azoxystrobin Not Detected Bifenazate Boscalid O.06 Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Cypermethrin Diazinon Dichlorvos Etofenprox Not Detected Etofenprox Not Detected Flonicamid Not Detected Not Detected Not Detected Not Detected Diazeted Dichlorvos Not Detected Dichlorvos Not Detected Dichlorvos Not Detected Dichlorvos Not Detected Etofenprox Not Detected Not Detected Flonicamid Not Detected Parathion Methyl Not Detected Permethrin Not Detected	Detected Level	(μg/g)
Azoxystrobin Bifenazate Bifenazate Boscalid O.06 Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Chlorpyrifos Not Detected Cypermethrin Not Detected Diazinon Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Imidacloprid Not Detected Methiocarb Methomyl Not Detected Not Detected Not Detected Mot Detected Not Detected	Acetamiprid	Not Detected
Bifenazate Boscalid O.06 Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Chlorpyrifos Not Detected Cypermethrin Not Detected Diazinon Not Detected Ethoprophos Etofenprox Fipronil Not Detected Flonicamid Not Detected Not Detected Not Detected Not Detected Not Detected Flonicamid Not Detected Metalaxyl Not Detected Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Permethrin Not Detected Permethrin Not Detected	Aldicarb	Not Detected
Boscalid Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Chlorpyrifos Not Detected Chlorpyrifos Not Detected Cypermethrin Not Detected Diazinon Not Detected Ethoprophos Etofenprox Not Detected Fipronil Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Permethrin Not Detected Pyridaben Not Detected	Azoxystrobin	Not Detected
Carbaryl Not Detected Carbofuran Not Detected Chlorantraniliprole Not Detected Chlorpyrifos Not Detected Cypermethrin Not Detected Diazinon Not Detected Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Not Detected Permethrin Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Not Detected	Bifenazate	Not Detected
Carbofuran Chlorantraniliprole Chlorpyrifos Not Detected Cypermethrin Not Detected Diazinon Not Detected Dichlorvos Ethoprophos Not Detected Fipronil Not Detected Flonicamid Not Detected Metalaxyl Not Detected Methomyl Myclobutanil Not Detected Not Detected Parathion Methyl Permethrin Not Detected Spiroxamine Not Detected	Boscalid	0.06
Chlorantraniliprole Chlorpyrifos Not Detected Cypermethrin Not Detected Diazinon Not Detected Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Permethrin Not Detected Spiroxamine Not Detected	Carbaryl	Not Detected
Chlorpyrifos Cypermethrin Not Detected Diazinon Not Detected Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Permethrin Not Detected Spiroxamine Not Detected	Carbofuran	Not Detected
Cypermethrin Not Detected Diazinon Not Detected Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Not Detected	Chlorantraniliprole	Not Detected
Diazinon Not Detected Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Not Detected Not Detected	Chlorpyrifos	Not Detected
Dichlorvos Not Detected Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Cypermethrin	Not Detected
Ethoprophos Not Detected Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Diazinon	Not Detected
Etofenprox Not Detected Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Dichlorvos	Not Detected
Fipronil Not Detected Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Ethoprophos	Not Detected
Flonicamid Not Detected Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Etofenprox	Not Detected
Imidacloprid Not Detected Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Fipronil	Not Detected
Metalaxyl Not Detected Methiocarb Not Detected Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Flonicamid	Not Detected
Methiocarb Methomyl Not Detected Myclobutanil Oxamyl Not Detected Parathion Methyl Permethrin Pyridaben Spiroxamine Tebuconazole Thiacloprid Not Detected Not Detected Not Detected Not Detected Not Detected	Imidacloprid	Not Detected
Methomyl Not Detected Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Metalaxyl	Not Detected
Myclobutanil Not Detected Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Methiocarb	Not Detected
Oxamyl Not Detected Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Methomyl	Not Detected
Parathion Methyl Not Detected Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Myclobutanil	Not Detected
Permethrin Not Detected Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Oxamyl	Not Detected
Pyridaben Not Detected Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Parathion Methyl	Not Detected
Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Permethrin	Not Detected
Spiroxamine Not Detected Tebuconazole Not Detected Thiacloprid Not Detected	Pyridaben	Not Detected
Thiacloprid Not Detected	Spiroxamine	Not Detected
	Tebuconazole	Not Detected
Thiamethoxam Not Detected	Thiacloprid	Not Detected
	Thiamethoxam	Not Detected

